



KE-PCI/T, KE-PCI



10Base-T, T/2 Ethernet PCI Adapters

Key Features:

- Comply with IEEE 802.3 10Base-T, 10Base-2 Standards (KE-PCI)
- Novell's NE2000 Compatible
- 32-bit PCI local bus specification 2.1 compliant
- 20Mbps Full-Duplex supported
- Plug-and-Play installation
- 10BASE-T supported UTP and STP cable
- On board BOOT ROM socket included
- Auto-detection for media type
- Easy-to-View diagnostic LED
- Jumperless - Fully software configurable
- Complete driver supported: Novell NetWare 3.x, 4.x ODI driver, NetWare Client 32, Microsoft Windows 95/98, Windows NT 3.51/4.0, Windows for Workgroups 3.11, LAN Manager, IBM LAN Support Program, IBM LAN Manager, IBM LAN Server, NDIS driver, SCO TCP/IP for Unix, SCO OpenServer 5.0, Packet driver, LANtastic, Linux

Specifications:

Standards	IEEE 802.3 10BASE-T, 10BASE-2	
Protocol	CSMA/CD	
Topology	Star	
Transfer Rate	Half-duplex:	10Mbps
	Full-duplex:	20Mbps
Connectors	Shielded RJ-45 BNC female connector (KE-PCI)	
Cables	UTP Cat. 3, 4, 5 (100m max.) BNC RG-58A/U 50-ohm coaxial cable (185m max.)	
LEDs	Link	
Environment	Operating Temperature:	0° to 40° C
	Relative Humidity:	10% to 90% non-condensing
Dimensions	120 x 60 mm (4.72 x 2.36 inch)	
Power	+3.3VDC, 758mA	



KTI Networks Inc.

7400 Harwin Dr., Suite 120
Houston, Texas 77036 U.S.A.
Tel: 713-266-3891
Fax: 713-266-3893
E-mail: kti@ktinet.com
URL: <http://www.ktinet.com>

Katron Technologies Inc.

15F-7, No. 79, Sec. 1, Hsin Tai Wu Rd.,
Hsi-chih, Taipei Hsien, Taiwan
Tel: 886-2-2698-3878
Fax: 886-2-2698-3873
E-mail: kti@ktinet.com.tw
URL: <http://www.ktinet.com.tw>

Trademarks: All brand names are trademarks or registered trademarks of their respective holders. This information is subject to change without prior notice.